CAMPA

Luxury radiators

2020 Collection

ORIGINE FRANCE GARANTIE
BVCert. 6020118

CAMPA

Luxury radiators

Campastyle range

The Campastyle collection is the fruit of high technological developments and design research. They inaugurate a new generation of appliances that are connected and combine attractive design, space saving, energy efficiency and care for the environment.

This top-of-the-range collection offers radiators with a 5 cm depth, in addition to maximum comfort and 3 finishes: **Glass**, **lava stone** and **steel**.

Campastyle Glass 3.0

page 14

Campastyle Lava 3.0

page 16

Campastyle Design 3.0

page 18

Campastyle City 3.0

page 20

Campastyle Kubes 3.0

page 22

CAMPA

Living room & bedroom

3.0 radiators

Campaver Ultime 3.0

page 24

Campaver Select 3.0

page 26

Naturay Ultime 3.0

page 28

Naturay Select 3.0

page 28

Neo 3.0

page 30

Jaiko 3.0

page 32

Campalys 3.0

page 34



Jobel 3.0

page 35

CAMPA

Bathroom & kitchen

Campastyle Holiday 3.0

page 38

Campastyle Elite 3.0

page 40

Campastyle Elite Design 3.0

page 42

Campaver Bains Kyoto 3.0

page 44

Campaver Bains Ultime 3.0

page 46

Campaver Bains Select 3.0

page 47



Equilibre

page 49

CONTROLS

Muller Intuitiv

Muller Intuitiv

page 13

CAMPA

CAMPA – Exceptional heaters

CAMPA is an integrated part of the Muller Group, which includes other major actors in the thermal comfort industry, such as Noirot, Applimo, Auer, Airélec and France Energie. For sustainable development is indeed at the heart of the research carried out by CAMPA, making the enterprise a key actor in the field of energy.

The company is at the forefront of innovation in developing high-end electric heaters. Bringing together elegant French style with innovative features for modern living, CAMPA's radiators are a benchmark for quality, design and performance.

For more than 50 years, the innovative French company has been using luxury materials to develop forward-thinking heating solutions for domestic and commercial spaces. Today, the CAMPA range helps you to meet the design and performance demands of modern buildings, without compromising on environmental standards.

A FAMILY BUSINESS – 100% Made in France

CAMPA is a family business run by the Teurquetil family. The founder, Mr. Teurquetil, has always favored a personal exchange and transfer of knowledge within the group, and he is convinced that nothing can compete with the passion and the expertise of the men and women he trained himself. From the very beginning, he has put an honor into personally monitoring the quality of the products offered by CAMPA, just like a craftsman cherishing his unique knowhow.



Convinced that development is fuelled by innovation and a sense of elegance, the company has never relocated its production, and instead chose to expand its commercial network internationally, while continuing to invest in research in order to put forward a series of high-end products with high standards of quality and design excellence.

LABELS AND AWARDS

Campa had the honour to receive various awards, rewarding years of creating design and incredibly performant devices.

Technology, style, sustainability... These different labels are our pride and reflect our industrial philosophy... and for our customers the best guarantee.

- *Origine France Garantie certification (BV cert 6020218) granted in 2014*
- *CES Innovation awards in 2018 for its new connected solution Muller Intuitiv with Netatmo*
- *Awarded for Outstanding bathroom products of the year 2017 and 2018*
- *Winner of the 2030 Innovation World Competition*
- *The Observeur du Design 2015 label was granted to Campa for the 3.0 Campastyle range*
- *2014 Janus of the Industry label was granted for the 3.0 Campastyle range*

RESEARCH AND DEVELOPMENT

Since its creation in 1964, CAMPA has always prioritized research and development above all.

Located near Reims, the headquarters of CAMPA encompass a Research and Development Center, recently expanded to meet the growing needs and challenges of this industry. This is where engineers can explore the energy performance of different materials in order to increase the capacity of each device. In this department, 20 technicians carry on the innovation that has been led for 50 years in four research areas:

- Heat transmitting materials
- Ecological design and environmental issues
- Intelligent control of complementary products and functions such as detection of open windows, detection of human presence or behavioral indicator
- Optimization of devices and their thermal comfort



Comfort also means aesthetic, ergonomics, efficiency, savings, smart, digital and connectivity... A constant challenge we meet every day, and in which we excel. Much time and effort go into ensuring that everything is done perfectly, without taking the easy way.

Extreme precision is a golden rule and we see attention to detail even in the slightest finishing touch because for us, the key is your entire satisfaction.

NOBLE MATERIALS AND CONTEMPORARY LINES

The technological design is, for Campa, the commitment and promise to make exceptional radiators.

We have developed and designed high-performance technologies, associated with materials that combine exceptional thermo-physical properties and aesthetic qualities.

Glass panel, natural lava stone or laced steel, we have exploited these innovative materials to their fullest potential, so their characteristics create a permanent and lasting comfort, whilst lowering energy consumption.

This material has the extraordinary skill to merge into any setting. This adaptability is due to the nature of glass, a noble multi-faceted material. It brings aesthetic qualities and physical functionalities together in a happy marriage

As a material, it has undergone many transformations and now comes to its own thanks to refined finishes and trendy colours. Elegance is the guiding principle of this millennium material

This rare material comes directly from volcanic mountains in Auvergne, providing an attractive surface and appearance. Massive and natural, the raw lava stone becomes an exclusive material, ideal for sophisticated radiators. Each panel comes with a certificate of authenticity

CONTROLLED INERTIA WITH MASS EFFECT

A unique and patented technology



▸ **The controlled inertia** is the perfect combination between exceptional materials, highly performant heating elements, and a very accurate regulation.

Result : Mastered inertia, a continuous and controlled radiant heat which is a source of absolute comfort and energy savings.

▸ **The mass inertia effect** is the result of a scientific calculation, taking into account the various thermo-physical qualities of materials in the heater, to offer an instant, continuous and homogeneous radiant heat.

This calculation enables to determine whether the thermo-physical properties of a material and its specific density are ideal to be used with heating elements and the regulation.

Mass effect comparison



DOUBLE EFFECT

CAMPA's radiators are equipped with two independent and complementary heating elements. The priority is given to the front one for the facade to radiate.



COMFORT + ENERGY SAVINGS

"2 RADIATORS IN 1"



EXTRA COMFORT IN YOUR BATHROOM

TURBO BOOST

High-performance fan blower

The "**Turbo Boost**" function enables immediate heat input in the bathroom when it is most needed, and for an adjustable duration. It also enables an efficient and quick drying of towels and clothes.

CAMPA

Electric heating that is truly smart

The module Muller Intuitiv associates smart radiators with connected solution



3.0 radiators ▸ Major technological breakthrough

Design, technological, connected, they inaugurate a new generation of appliances that combine energy efficient operation, comfort, energy savings and care for the environment.

Energy saving functions

- Presence and absence detection
- Open window detection
- Integrated programming
- High-tech radiant technology
- Very accurate thermostat (1/10th degree)
- Electronic regulation of the two heating elements
- New connected solution : Muller Intuitiv

Muller Intuitiv with NETATMO

Connected module for electric radiator

Muller Group and Netatmo (French specialist of connected solutions) have joined forces to develop Muller Intuitiv with Netatmo, a smart solution for electic heating.

The Muller Intuitiv solution enables CAMPA electric heaters to adjust and personalize, room by room, your ideal comfort level. The module adapts to the entire 3.0 radiators and towel warmes ranges.

This innovation has been rewarded for both its technological and ecological functions, at the Las Vegas 2018 CES.

Main features

REMOTE CONTROL

Whenever you want, wherever you are, use the Intuitiv App to control your heating

ROOM-BY-ROOM TEMPERATURE

Enjoy optimum comfort by having a room by room heating schedule

SMART HEATING

Benefit from self learning algorithms that automatically regulate your heating

ENERGY CONSUMPTION

Visualize at a glance your heating consumption and optimize it

VOICE CONTROL

Give simple voice commands to your voice assistant to manage your heating

EASY INSTALLATION

Insert the module in its slot and enjoy a simple plug and play installation

Works with Apple HomeKit · works with the Google Assistant · WORKS WITH amazon alexa

NEN9241AA
Muller Intuitiv module
White

NEN9241AAHS
Muller Intuitiv module
Anthracite

Install the module and download the App

Muller Intuitiv with NETATMO

Download on the App Store

GET IT ON Google play

Campastyle GLASS **3.0**

RADIANT RADIATOR WITH CONTROLLED INERTIA FOR ADDED COMFORT

Outstanding discretion and elegance of an exceptional range of radiators.

The massive glass facade of Campa radiators reveal a requirement well beyond the mere need for comfort.

This hard-to-master material brings an intense and immediate visual treat

TECHNOLOGIES

Exceptional technologies developed to reach optimal comfort while achieving substantial energy savings (details p.10-13)

Energy-saving functions

Double heating elements

Controlled inertia Glass facade

Connected Muller Intuitiv



Campastyle Glass horizontal - White - 1000W

ADDITIONAL INFORMATION

-Controlbox with digital display
-Energy-saving functions included
-Technical data p. 51

-Colours :
- Astrakhan black
- Lily white
- Mirror

OUTPUTS AND DIMENSIONS (mm)



Campastyle Glass horizontal - Astrakhan black - 650W

Campastyle Glass vertical - Mirror - 1000W

CAMPA
Les radiateurs d'exception

Campastyle LAVA **3.0**

RADIANT RADIATOR WITH CONTROLLED INERTIA FOR ADDED COMFORT

Lava stone is a rare and natural material. It is cut so that it enhances its particular and fascinating nature.

Each panel is unique and supplied with a certificate of authenticity.

TECHNOLOGIES

Exceptional technologies developed to reach optimal comfort while achieving substantial energy savings (details p.10-13)

Energy-saving functions

Double heating elements

Controlled inertia Lava stone facade

Connected Muller Intuitiv

ADDITIONAL INFORMATION

-Controlbox with digital display
-Energy-saving functions included
-Technical data p. 51

-Colours : Beige
Raw lava

OUTPUTS AND DIMENSIONS (mm)



Campastyle Lava vertical - Raw lava - 1000W

Campastyle Lava horizontal - Beige - 650W

CAMPA
Les radiateurs d'exception

Campastyle DESIGN **3.0**

RADIANT RADIATOR WITH SOFT INERTIA

By nature, steel complies with the most conventional or the most eccentric requirements of a designer.

Elegance is the key-word of this surprising material.

TECHNOLOGIES

Exceptional technologies developed to reach optimal comfort while achieving substantial energy savings (details p.10-13)

Energy-saving functions

Double heating elements

Soft inertia Double steel envelope

Connected Muller Intuitiv

Campastyle Design horizontal - White - 650W

ADDITIONAL INFORMATION

-Controlbox with digital display
-Energy-saving functions included
-Technical data p. 51

-Colours : White
Anthracite

Campastyle Design horizontal - Anthracite - 650W

OUTPUTS AND DIMENSIONS (mm)



Campastyle Design vertical - Anthracite - 1250W

CAMPA
Les radiateurs d'exception

Campastyle CITY **3.0**

RADIANT RADIATOR WITH LACED STEEL FACADE



A bold design, efficient technology, smart and connected heating. On the exterior, Campastyle City pushes design codes with finesse, offering a stylish, urban radiator.

TECHNOLOGIES

Exceptional technologies developed to reach optimal comfort while achieving substantial energy savings (details p.10-13)

Energy-saving functions

Double heating elements

Soft inertia Double steel envelope

Connected Muller Intuitiv

Campastyle City - White - 1250W

ADDITIONAL INFORMATION

-Controlbox with digital display

-Energy-saving functions included

-Technical data p. 52

-Colours : White

Anthracite

OUTPUTS AND DIMENSIONS (mm)





Campastyle City - Anthracite - 1000W

CAMPA
Les radiateurs d'exception

Campastyle KUBES **3.0**



RADIANT RADIATOR WITH LACED STEEL FACADE

The steel comes in another form to optimize radiation and provide ultimate comfort.

One will: break the esthetic codes of the traditional radiant panel.

TECHNOLOGIES

Exceptional technologies developed to reach optimal comfort while achieving substantial energy savings (details p.10-13)

Energy-saving functions

Radiant heating element
High emissivity

Connected
Muller Intuitiv

ADDITIONAL INFORMATION

-Controlbox with digital display
-Energy-saving functions included
-Technical data p. 52

-Colours : White
Anthracite

OUTPUTS AND DIMENSIONS (mm)





Campastyle Kubes horizontal - White - 1000W

Campastyle Kubes vertical - Anthracite- 1500W

CAMPA
Les radiateurs d'exception

Campaver ULTIME **3.0**

RADIANT RADIATOR WITH CONTROLLED INERTIA

Rounded corners

A unique design combining technological know-how and a glass panel with elegant soft lines.

TECHNOLOGIES

Exceptional technologies developed to reach optimal comfort while achieving substantial energy savings (details p.10-13)

Energy-saving functions

Double heating elements

Controlled inertia Glass facade

Connected Muller Intuitiv

ADDITIONAL INFORMATION

-Controlbox with digital display
-Energy-saving functions included
-Technical data p. 53

-Colours :

- Lily white
- Astrakhan black
- Quartz grey
- Mirror
- Copper brown
- Carmin red
- Ivory
- Sand

OUTPUTS AND DIMENSIONS (mm)



Campaver Ultime vertical corner version - Mirror - 1600W

Campaver Ultime vertical - Ivory - 1500W

Campaver Ultime narrow horizontal - Astrakhan black - 1200W

CAMPA
Les radiateurs d'exception

Campaver SELECT **3.0**

RADIANT RADIATOR WITH CONTROLLED INERTIA

Sharp corners

Inspired, pure and dynamic lines. Modern yet conventional...

TECHNOLOGIES

Exceptional technologies developed to reach optimal comfort while achieving substantial energy savings (details p.10-13)

Energy-saving functions

Double heating elements

Controlled inertia Glass facade

Connected Muller Intuitiv

ADDITIONAL INFORMATION

-Controlbox with digital display

-Energy-saving functions included

-Technical data p. 54

-Colours :

- Lily white
- Astrakhan black
- Mirror
- Pixels

OUTPUTS AND DIMENSIONS (mm)



Campaver Select horizontal - Mirror - 2000W

Campaver Select horizontal - Pixel - 1500W

Campaver Select horizontal - Astrakhan black - 1500W

CAMPA
Les radiateurs d'exception

Naturay 3.0 ULTIME / SELECT

RADIANT RADIATOR WITH CONTROLLED INERTIA

Massive lava stone facade - An original, visual and tactile experience that leaves no one indifferent.

TECHNOLOGIES

Exceptional technologies developed to reach optimal comfort while achieving substantial energy savings (details p.10-13)

Energy-saving functions

Double heating elements

Controlled inertia
Lava stone facade

Connected
Muller Intuitiv

ADDITIONAL INFORMATION

-Controlbox with digital display
-Energy-saving functions included
-Technical data p. 54-55

-Colours : White lava
Beige

OUTPUTS AND DIMENSIONS (mm)

Naturay Ultime - *Rounded corners*



Naturay Select - *Sharp corners*



Naturay Select - White lava - 1000W

Naturay Ultime - Beige - 1000W

CAMPA
Les radiateurs d'exception

Neo 3.0

DYNAMIC INERTIA RADIATOR WITH AMBIANCE LIGHT

When classical inspiration flirts with modernity, it happens that, at the tip of the designer's pen, emerges the light.

TECHNOLOGIES

Exceptional technologies developed to reach optimal comfort while achieving substantial energy savings (details p.10-13)

- Energy-saving functions
- Double heating elements
- Soft inertia Double steel envelope
- Turbine — Quick heat-up time
- Ambiance light
- Connected Muller Intuitiv

ADDITIONAL INFORMATION

-Controlbox with digital display
-Energy-saving functions included
-Technical data p. 55

-Colours : ◯ White

OUTPUTS AND DIMENSIONS (mm)





Neo 1000W - Ambiance light on

Neo 1000W

CAMPA
Les radiateurs d'exception

Jaiko 3.0

RADIANT RADIATOR

Comfort cannot be explained nor seen, and yet a simple glance at this product will provide you an absolute visual delight with its vintage look

TECHNOLOGIES

Exceptional technologies developed to reach optimal comfort while achieving substantial energy savings (details p.10-13)

Energy-saving functions

Radiant heating element High emissivity

Connected Muller Intuitiv

ADDITIONAL INFORMATION

-Controlbox with digital display

-Energy-saving functions included

-Technical data p. 55

-Colours : ◯ White

OUTPUTS AND DIMENSIONS (mm)





Jaiko 3.0 vertical - 1750W

Jaiko 3.0 horizontal - 1000W

Jaiko 3.0 horizontal - White - 1000W

CAMPA
Les radiateurs d'exception

Campalys 3.0

RADIANT RADIATOR WITH CONTROLLED INERTIA

The innovative design of the Campalys gives an amazing impression of beauty and novelty. A watchful eye discovers a curved facade like a sail inflated by the wind.

TECHNOLOGIES

Exceptional technologies developed to reach optimal comfort while achieving substantial energy savings (details p.10-13)

Energy-saving functions

Double heating elements

Inertia - Inner crystal heating elements

Connected Muller Intuitiv

ADDITIONAL INFORMATION

-Controlbox with digital display
-Energy-saving functions included
-Technical data p. 56

-Colours :
- White
- Grey
- Anthracite

Campalys 3.0 vertical - White - 1500W

OUTPUTS AND DIMENSIONS (mm)





Campalys 3.0 horizontal - White - 1000W

Jobel 3.0 vertical - White - 1500W

Jobel 3.0 horizontal - White - 1000W

Jobel 3.0

RADIANT RADIATOR WITH CONTROLLED INERTIA

Steel facade with inner natural lava stone panel

A simple appearance which combines straight and curved lines, giving it a light and elegant look.

TECHNOLOGIES

Exceptional technologies developed to reach optimal comfort while achieving substantial energy savings (details p.10-13)

Energy-saving functions

Double heating elements

Controlled inertia
Inner lava stone panel

Connected
Muller Intuitiv

ADDITIONAL INFORMATION

-Controlbox with digital display
-Energy-saving functions included
-Technical data p. 56

-Colours :

- White
- Grey
- Anthracite

OUTPUTS AND DIMENSIONS (mm)





CAMPA

Bathroom collection

► Our ranges are designed to adapt harmoniously to all your spaces. Also, they present all the technological requirements to provide you with immediate comfort and well-being in your bathroom

Campastyle Bains Holiday

GOLD AWARD FOR OUTSTANDING BATHROOM PRODUCT OF THE YEAR IN 2018

Campastyle Holiday 3.0

Campastyle Elite 3.0

Campastyle Elite Design 3.0

Campaver Bains Kyoto 3.0

Campaver Bains Ultime 3.0

Campaver Bains Select 3.0

Campastyle HOLIDAY **3.0**

RADIANT TOWEL WARMER RADIATOR WITH BOOSTER FAN

Thanks to its design or its embedded technology, the Campastyle Holiday brings you an optimal comfort.

TECHNOLOGIES

Exceptional technologies developed to reach optimal comfort while achieving substantial energy savings (details p.10-13)

Energy-saving functions

Controlled inertia Glass facade

Fan blower 900W

Connected Muller Intuitiv

ADDITIONAL INFORMATION

-Controlbox with digital display
-Energy-saving functions included
-Technical data p. 57

-Colours :

- Astrakhan black
- Lily white
- Mirror

+

Customisable rails

- Black
- White
- Grey
- Copper

OUTPUTS AND DIMENSIONS (mm)



1300 W **1500 W**



Campastyle Holiday - Black - Copper rails- 1300W



Campastyle Holiday - White - Black rails- 1300W

CAMPA
Les radiateurs d'exception

Campastyle ELITE **3.0**

RADIANT TOWEL WARMER RADIATOR WITH BOOSTER FAN

Elegance, design, technology, high-efficiency, space-saving, high-performing, discreet booster fan... Perfection !

TECHNOLOGIES

Exceptional technologies developed to reach optimal comfort while achieving substantial energy savings (details p.10-13)

Energy-saving functions

Controlled inertia Glass facade

Fan blower 1000W

Connected Muller Intuitiv

ADDITIONAL INFORMATION

-Controlbox with digital display
-Energy-saving functions included
-Technical data p. 57

-Colours :
- Astrakhan black
- Lily white
- Mirror

OUTPUTS AND DIMENSIONS (mm)



1300 W

Campastyle Elite - Black- 1300W

Campastyle Elite - White - 1300W

CAMPA
Les radiateurs d'exception

Campastyle ELITE DESIGN **3.0**

RADIANT TOWEL WARMER RADIATOR WITH BOOSTER FAN

Another visual appearance, same design, same qualities...
for an ultimate comfort

TECHNOLOGIES

Exceptional technologies developed to reach optimal comfort while achieving substantial energy savings (details p.10-13)

Energy-saving functions

Soft inertia
Double steel envelope

Fan blower
1000W

Connected
Muller Intuitiv

ADDITIONAL INFORMATION

-Controlbox with digital display
-Energy-saving functions included
-Technical data p. 57

-Colours : ◯ White

OUTPUTS AND DIMENSIONS (mm)



Campastyle Elite Design 1300W - White

Campastyle Elite Design - White - 1500W

CAMPA
Les radiateurs d'exception

Campaver BAINS KYOTO **3.0**

RADIANT TOWEL WARMER RADIATOR WITH BOOSTER FAN

The perfect mix between curves and angles, between power and smoothness

TECHNOLOGIES

Exceptional technologies developed to reach optimal comfort while achieving substantial energy savings (details p.10-13)

Energy-saving functions

Controlled inertia Glass facade

Fan blower 800W

Connected Muller Intuitiv

ADDITIONAL INFORMATION

-Controlbox with digital display
-Energy-saving functions included
-Technical data p. 58

-Colours :
- Astrakhan black
- Lily white
- Mirror

OUTPUTS AND DIMENSIONS (mm)



1200 W **1500 W**

Campaver Bains Kyoto - Black - 1200W

Campaver Bains Kyoto - White - 1500W

CAMPA
Les radiateurs d'exception

Campaver BAINS ULTIME **3.0**

RADIANT TOWEL WARMER
RADIATOR WITH BOOSTER FAN

Rounded corners

Multiple finishes, an inspired look, easily integrated;
synonymous of design, comfort and energy savings

TECHNOLOGIES

Exceptional technologies developed to reach optimal comfort while achieving substantial energy savings (details p.10-13)

Energy-saving functions

Controlled inertia Glass facade

Fan blower 600W

Connected Muller Intuitiv

ADDITIONAL INFORMATION

-Controlbox with digital display
-Energy-saving functions included
-Technical data p. 58

-Colours :

- Astrakhan black
- Lily white
- Mirror
- Grey

OUTPUTS AND DIMENSIONS (mm)



1000 W **1200 W** **1600 W**

Campaver Bains Ultime - White - 1200W

Campaver Bains Select - Mirror - 1600W

Campaver BAINS SELECT **3.0**

RADIANT TOWEL WARMER
RADIATOR WITH BOOSTER FAN

Sharp corners

The Select is dedicated to those who find that sharp angles express an attractive design

TECHNOLOGIES

Exceptional technologies developed to reach optimal comfort while achieving substantial energy savings (details p.10-13)

Energy-saving functions

Controlled inertia Glass facade

Fan blower 600W

Connected Muller Intuitiv

ADDITIONAL INFORMATION

-Controlbox with digital display

-Energy-saving functions included

-Technical data p. 58

-Colours :

- Astrakhan black
- Lily white
- Mirror

OUTPUTS AND DIMENSIONS (mm)



1000 W **1200 W** **1600 W**

CAMPA
Luxury radiators

Outdoor
collection

Equilibre



IRC INFRARED HEATER

The elegance of a product with soft and light lines, which will bring you an optimal comfort in all seasons

- IRC radiation for maximum efficiency and comfort
- No warm-up : 90% of the heat available right away
- Adjustable intensity from 0 to 100%
- Up to 5000 operating hours
- Adjustable height

INDOOR / OUTDOOR

INDIRECT RADIATION
ANTI-GLARE

STAINLESS
STEEL

FAR INFRARED
1500 / 3000 W

WATER RESISTANT
IPX4

Equilibre Double - 3000W

2 VERSIONS

SIMPLE

DOUBLE

FINISH

Stainless steel

OUTPUTS AND DIMENSIONS (mm)

1500 W

3000 W

Technical features



page 14 Campastyle Glass 3.0 - Massive glass facade

Control box model

Muller Intuitiv

CAMPASTYLE GLASS 3.0	HORIZONTAL			VERTICAL	
Power (W)	**650**	**1000**	**1250**	**1000**	**1250**
Width (mm)	700	1100	1400	450	550
Height (mm)	700	700	700	1650	1650
Thickness (mm)*	40	40	40	40	40
Weight (kg)	20,8	32,2	35,8	34,3	41,1
Astrakhan black ●	**CMVD07HSEPB**	**CMVD10HSEPB**	**CMVD13HSEPB**	**CMVD10VSEPB**	**CMVD13VSEPB**
Lily white ○	**CMVD07HBCCB**	**CMVD10HBCCB**	**CMVD13HBCCB**	**CMVD10VBCCB**	**CMVD13VBCCB**
Mirror ○	**CMVD07HMIRE**	**CMVD10HMIRE**	**CMVD13HMIRE**	**CMVD10VMIRE**	**CMVD13VMIRE**

*Total thickness with wall bracket: add 38 mm for the horizontal model and 40 mm for the vertical model

page 16 Campastyle Lava 3.0 - Massive lava stone facade

Control box model

Muller Intuitiv

CAMPASTYLE LAVA 3.0	HORIZONTAL			VERTICAL	
Power (W)	**650**	**1000**	**1250**	**1000**	**1250**
Width (mm)	700	1100	1400	450	550
Height (mm)	700	700	700	1650	1650
Thickness (mm)*	53	53	53	55	55
Weight (kg)	30,8	47,2	58,3	49,3	59,4
Beige ○	**CMLD07HGREI**	**CMLD10HGREI**	**CMLD13HGREI**	**CMLD10VGREI**	**CMLD13VGREI**
Raw lava ●	**CMLD07HBRUT**	**CMLD10HBRUT**	**CMLD13HBRUT**	**CMLD10VBRUT**	**CMLD13VBRUT**

*Total thickness with wall bracket: add 38 mm for the horizontal model and 40 mm for the vertical model

page 18 Campastyle Design 3.0 - Steel facade

Control box model

Muller Intuitiv

CAMPASTYLE DESIGN 3.0	HORIZONTAL			VERTICAL	
Power (W)	**650**	**1000**	**1250**	**1000**	**1250**
Width (mm)	700	1100	1400	450	550
Height (mm)	700	700	700	1650	1650
Thickness (mm)*	40	40	40	40	40
Weight (kg)	18,3	29,2	35,9	30,8	35,9
White ○	**CMDD07HBCCB**	**CMDD10HBCCB**	**CMDD13HBCCB**	**CMDD10VBCCB**	**CMDD13VBCCB**
Anthracite ●	**CMDD07HANTH**	**CMDD10HANTH**	**CMDD13HANTH**	**CMDD10VANTH**	**CMDD13VANTH**

*Total thickness with wall bracket: add 38 mm for the horizontal model and 40 mm for the vertical model

page 20 Campastyle City 3.0 - Laced steel facade

CAMPASTYLE CITY 3.0	VERTICAL	
Power (W)	**1000**	**1250**
Width (mm)	490	590
Height (mm)	1660	1660
Thickness (mm)*	62	62
Weight (kg)	40	48
White ○	**CMCD10VBCCB**	**CMCD13VBCCB**
Anthracite ●	**CMCD10VANTH**	**CMCD13VANTH**

*Total thickness with wall bracket: add 40 mm

Control box model

Muller Intuitiv



page 22 Campastyle Kubes 3.0 - Laced steel facade

CAMPASTYLE KUBES 3.0	HORIZONTAL		VERTICAL
Power (W)	**1000**	**1500**	**1500**
Width (mm)	700	700	450
Height (mm)	700	1100	1650
Thickness (mm)*	50	50	50
Weight (kg)	13,6	20,4	24,3
White ○	**CMKD10HBCCB**	**CMKD15HBCCB**	**CMKD15VBCCB**
Anthracite ●	**CMKD10HANTH**	**CMKD15HANTH**	**CMKD15VANTH**

*Total thickness with wall bracket: add 38 mm for the horizontal model and 40 mm for the vertical model

Control box model

Muller Intuitiv

page 24 Campaver Ultime 3.0 - Massive glass facade

Control box model

Muller Intuitiv



CAMPAVER ULTIME 3.0	HORIZONTAL				
Power (W)	**750**	**1000**	**1250**	**1500**	**2000**
Width (mm)	820	820	1098	1098	1098
Height (mm)	565	565	565	565	690
Thickness (mm)*	81	81	81	81	81
Weight (kg)	17,0	17,0	22,6	22,6	28,0
Astrakhan black ●	**CMUD08HSEPB**	**CMUD10HSEPB**	**CMUD13HSEPB**	**CMUD15HSEPB**	**CMUD20HSEPB**
Lily white ○	**CMUD08HBCCB**	**CMUD10HBCCB**	**CMUD13HBCCB**	**CMUD15HBCCB**	**CMUD20HBCCB**
Mirror ○	-	**CMUD10HMIRE**	-	**CMUD15HMIRE**	**CMUD20HMIRE**
Quartz grey ●	-	**CMUD10HGRIS**	-	**CMUD15HGRIS**	**CMUD20HGRIS**
Copper brown ●	-	**CMUD10HBRUN**	-	**CMUD15HBRUN**	**CMUD20HBRUN**
Carmin red ●	-	**CMUD10HCARM**	-	**CMUD15HCARM**	**CMUD20HCARM**
Ivory ○	-	**CMUD10HBEIG**	-	**CMUD15HBEIG**	**CMUD20HBEIG**
Sand ○	-	**CMUD10HSABL**	-	**CMUD15HSABL**	**CMUD20HSABL**

*Total thickness with wall bracket: add 40 mm



	VERTICAL			
Power (W)	**1000**	**1250**	**1500**	**2000**
Width (mm)	565	565	565	690
Height (mm)	820	1098	1098	1098
Thickness (mm)*	81	81	81	81
Weight (kg)	17,0	22,6	22,6	28,0
Astrakhan black ●	**CMUD10VSEPB**	**CMUD13VSEPB**	**CMUD15VSEPB**	**CMUD20VSEPB**
Lily white ○	**CMUD10VBCCB**	**CMUD13VBCCB**	**CMUD15VBCCB**	**CMUD20VBCCB**
Mirror ○	**CMUD10VMIRE**	-	**CMUD15VMIRE**	**CMUD20VMIRE**
Quartz grey ●	**CMUD10VGRIS**	-	**CMUD15VGRIS**	**CMUD20VGRIS**
Copper brown ●	**CMUD10VBRUN**	-	**CMUD15VBRUN**	**CMUD20VBRUN**
Carmin red ●	**CMUD10VCARM**	-	**CMUD15VCARM**	**CMUD20VCARM**
Ivory ○	**CMUD10VBEIG**	-	**CMUD15VBEIG**	**CMUD20VBEIG**
Sand ○	**CMUD10VSABL**	-	**CMUD15VSABL**	**CMUD20VSABL**

*Total thickness with wall bracket: add 40 mm

	NARROW VERTICAL			NARROW HORIZONTAL		CORNER
Power (W)	**800**	**1100**	**1600**	**900**	**1200**	**1600**
Width (mm)	427	427	427	1222	1222	427
Height (mm)	972	1222	1522	312	427	1522
Thickness (mm)*	81	81	81	81	81	303
Weight (kg)	15,0	18,0	21,0	15,0	18,0	24,5
Astrakhan black ●	**CMED08VSEPB**	**CMED11VSEPB**	**CMED16VSEPB**	**CMED09HSEPB**	**CMED12HSEPB**	**CMAD16VSEPB**
Lily white ○	**CMED08VBCCB**	**CMED11VBCCB**	**CMED16VBCCB**	**CMED09HBCCB**	**CMED12HBCCB**	**CMAD16VBCCB**
Mirror ○	-	**CMED11VMIRE**	**CMED16VMIRE**	-	-	**CMAD16VMIRE**

*Total thickness with wall bracket: add 40 mm

page 26 Campaver Select 3.0 - Massive glass facade

Control box model

Muller Intuitiv



CAMPAVER SELECT 3.0	VERTICAL			NARROW VERTICAL		CORNER
Power (W)	1000	1500	2000	1100	1600	1600
Width (mm)	565	565	690	427	427	427
Height (mm)	820	1098	1098	1222	1522	1522
Thickness (mm)*	81	81	81	81	81	303*
Weight (kg)	17,0	22,6	28,0	18,0	21,0	24,5
Astrakhan black ●	CMSD10VSEPB	CMSD15VSEPB	CMSD20VSEPB	CSED11VSEPB	CSED16VSEPB	CSAD16VSEPB
Lily white ○	CMSD10VBCCB	CMSD15VBCCB	CMSD20VBCCB	CSED11VBCCB	CSED16VBCCB	CSAD16VBCCB
Mirror ○	CMSD10VMIRE	CMSD15VMIRE	CMSD20VMIRE	CSED11VMIRE	CSED16VMIRE	CSAD16VMIRE

	HORIZONTAL		
Power (W)	1000	1500	2000
Width (mm)	820	1098	1098
Height (mm)	565	565	690
Thickness (mm)*	81	81	81
Weight (kg)	17,0	22,6	28,0
Astrakhan black ●	CMSD10HSEPB	CMSD15HSEPB	CMSD20HSEPB
Lily white ○	CMSD10HBCCB	CMSD15HBCCB	CMSD20HBCCB
Mirror ○	CMSD10HMIRE	CMSD15HMIRE	CMSD20HMIRE
Pixel ◔	CMSD10HPIXL	CMSD15HPIXL	CMSD20HPIXL

*Total thickness with wall bracket: add 40 mm

page 28 Naturay Ultime 3.0 - Lava stone facade

Control box model

Muller Intuitiv



NATURAY ULTIME 3.0	HORIZONTAL		
Power (W)	1000	1500	2000
Width (mm)	844	1122	1122
Height (mm)	589	589	714
Thickness (mm)*	88	88	88
Weight (kg)	25,5	32,5	41,5
Beige ○	NATD10HGREI	NATD15HGREI	NATD15HGREI
Lava white ○	NATD10HBCL	NATD15HBCL	NATD20HBCL

	VERTICAL			NARROW VERTICAL	
Power (W)	1000	1500	2000	1100	1600
Width (mm)	589	589	714	451	451
Height (mm)	844	1122	1122	1246	1546
Thickness (mm)*	88	88	88	88	88
Weight (kg)	25,5	32,5	41,5	24	40
Beige ○	NATD10VGREI	NATD15VGREI	NATD15VGREI	NETD11VGREI	NETD16VGREI
Lava white ○	NATD10VBCL	NATD15VBCL	NATD20VBCL	NETD11VBCL	NETD16VBCL

*Total thickness with wall bracket: add 40 mm

page 28 Naturay Select 3.0 - Lava stone facade

Control box model

Muller Intuitiv



NATURAY SELECT 3.0	HORIZONTAL		
Power (W)	1000	1500	2000
Width (mm)	844	1122	1122
Height (mm)	589	589	714
Thickness (mm)*	88	88	88
Weight (kg)	25,5	32,5	41,5
Beige ○	NASD10HGREI	NASD15HGREI	NASD15HGREI
Lava white ○	NASD10HBCL	NASD15HBCL	NASD20HBCL

	VERTICAL			NARROW VERTICAL	
Power (W)	1000	1500	2000	1100	1600
Width (mm)	589	589	714	451	451
Height (mm)	844	1122	1122	1246	1546
Thickness (mm)*	88	88	88	88	88
Weight (kg)	25,5	32,5	41,5	24	40
Beige ○	NASD10VGREI	NASD15VGREI	NASD15VGREI	NESD11VGREI	NESD16VGREI
Lava white ○	NASD10VBCL	NASD15VBCL	NASD20VBCL	NESD11VBCL	NESD16VBCL

*Total thickness with wall bracket: add 40 mm

page 30 Neo 3.0 - Steel facade

Control box model

Muller Intuitiv



NEO 3.0	HORIZONTAL		
Power (W)	1000	1500	2000
Width (mm)	620	830	1040
Height (mm)	650	650	650
Thickness (mm)*	110	110	110
Weight (kg)	22,0	28,0	35,0
White ○	NEOD10HBCCM	NEOD15HBCCM	NEOD20HBCCM

*Total thickness with wall bracket: add 10 mm

page 32 Jaiko 3.0 - Steel facade

Control box model

Muller Intuitiv



JAIKO 3.0	HORIZONTAL			VERTICAL	
Power (W)	1000	1500	2000	1250	1750
Width (mm)	640	850	1090	430	430
Height (mm)	566	566	566	1286	1646
Thickness (mm)*	125	125	125	125	125
Weight (kg)	15,0	20,0	25,0	22,0	29,0
White ○	JAID10HBCCM	JAID15HBCCM	JAID20HBCCM	JAID13VBCCM	JAID18VBCCM

*Total thickness with wall bracket: add 10 mm

page 34 Campalys 3.0 - Steel facade

Control box model

Muller Intuitiv



CAMPALYS 3.0	HORIZONTAL			VERTICAL		HORIZONTAL LOW	
Power (W)	**1000**	**1500**	**2000**	**1000**	**1500**	**750**	**1000**
Width (mm)	682	922	1162	415	415	1000	1059
Height (mm)	573	573	573	1214	1564	300	420
Thickness (mm)*	83	83	83	83	83	105	83
Weight (kg)	12,0	16,5	21,0	11,0	17,0	10,5	13,0
White ○	**CYSD10HBCCB**	**CYSD15HBCCB**	**CYSD20HBCCB**	**CYED10VBCCB**	**CYED15VBCCB**	**CYPD08HBCCB**	**CYED10HBCCB**
Grey ○	**CYSD10HGRIS**	**CYSD15HGRIS**	**CYSD20HGRIS**	**CYED10VGRIS**	**CYED15VGRIS**	**CYPD08HGRIS**	**CYED10HGRIS**
Anthracite ●	**CYSD10HANTH**	**CYSD15HANTH**	**CYSD20HANTH**	**CYED10VANTH**	**CYED15VANTH**	**CYPD08HANTH**	**CYED10HANTH**

*Total thickness with wall bracket: add 40 mm (except for Horizontal low 750W models)

page 35 Jobel 3.0 - Steel facade

Control box model

Muller Intuitiv



JOBEL 3.0	HORIZONTAL				
Power (W)	**750**	**1000**	**1250**	**1500**	**2000**
Width (mm)	570	670	910	910	1150
Height (mm)	600	600	600	600	600
Thickness (mm)*	90	90	90	90	90
Weight (kg)	15,0	16,0	22,0	22,0	28,0
White ○	**JOBD08HBCCB**	**JOBD10HBCCB**	**JOBD13HBCCB**	**JOBD15HBCCB**	**JOBD20HBCCB**
Grey ○	**JOBD08HGRIS**	**JOBD10HGRIS**	**JOBD13HGRIS**	**JOBD15HGRIS**	**JOBD20HGRIS**
Anthracite ●	**JOBD08HANTH**	**JOBD10HANTH**	**JOB13HANTH**	**JOBD15HANTH**	**JOBD20HANTH**

	VERTICAL			HORIZONTAL LOW		
Power (W)	**750**	**1000**	**1500**	**750**	**1000**	**1500**
Width (mm)	400	400	400	950	1050	1250
Height (mm)	1050	1250	1500	400	400	400
Thickness (mm)*	90	90	90	90	90	90
Weight (kg)	13,0	15,0	18,0	12,0	13,0	16,0
White ○	**JOED08VBCCB**	**JOED10VBCCB**	**JOED15VBCCB**	**JOED08HBCCB**	**JOED10HBCCB**	**JOED15HBCCB**
Grey ○	**JOED08VGRIS**	**JOED10VGRIS**	**JOED15VGRIS**	**JOED08HGRIS**	**JOED10HGRIS**	**JOED15HGRIS**
Anthracite ●	**JOED08VANTH**	**JOED10VANTH**	**JOED15VANTH**	**JOED08HANTH**	**JOED10HANTH**	**JOED15HANTH**

*Total thickness with wall bracket: add 40 mm

page 38 Campastyle Holiday 3.0 - Massive glass facade

Muller Intuitiv

CAMPASTYLE HOLIDAY 3.0		
Power (W)	**1300**	**1500**
Radiant (W)	**400**	**600**
Fan blower (W)	**900**	**900**
Width (mm)	350	350
Height (mm)	1200	1400
Thickness (mm)*	74	74
Weight (kg)	17,5	20,5
Astrakhan black ●	**CVHD13SEPB**	**CVHD15SEPB**
Lily white ○	**CVHD13BCCB**	**CVHD15BCCB**
Mirror ○	**CVHD13MIRE**	**CVHD15MIRE**

*Total thickness with wall bracket: add 40 mm

+

RAIL	
Width (mm)	320
Height (mm)	1112
Thickness (mm)	166,5
Weight (kg)	1,0
Black ●	**KIT BLACK**
White ○	**KIT WHITE**
Grey ○	**KIT GREY**
Copper ○	**KIT COPPER**

Control box model

page 40 Campastyle Elite 3.0 - Massive glass facade



CAMPASTYLE ELITE 3.0	
Power (W)	**1300**
Radiant (W)	**300**
Fan blower (W)	**1000**
Width (mm)	430
Height (mm)	1500
Thickness (mm)*	48
Weight (kg)	30,0
Astrakhan black ●	**CVED13SEPB**
Lily white ○	**CVED13BCCB**
Mirror ○	**CVED13MIRE**

*Total thickness with wall bracket: add 61 mm

Control box model

Muller Intuitiv

Pilot wire installation only

page 42 Campastyle Elite Design 3.0 - Steel facade



CAMPASTYLE ELITE DESIGN 3.0		
Power (W)	**1300**	**1500**
Radiant (W)	**300**	**500**
Fan blower (W)	**1000**	**1000**
Width (mm)	430	430
Height (mm)	1200	1500
Thickness (mm)*	48	48
Weight (kg)	21,0	24,5
White ○	**CVDD13BCCB**	**CVDD15BCCB**

*Total thickness with wall bracket: add 61 mm

Control box model

Muller Intuitiv

Pilot wire installation only

page 44 Campaver Bains Kyoto 3.0 - Massive glass facade

CAMPAVER BAINS KYOTO 3.0		
Power (W)	**1200**	**1500**
Radiant (W)	**400**	**700**
Fan blower (W)	**800**	**800**
Width (mm)	370	350
Height (mm)	900	1300
Thickness (mm)*	95	95
Weight (kg)	15,5	22,5
Astrakhan black ●	**CVVK12SEPB**	**CVVK15SEPB**
Lily white ○	**CVVK12BCCB**	**CVVK15BCCB**
Mirror ○	**CVVK12MIRE**	**CVVK15MIRE**

*Total thickness with wall bracket: add 40 mm

Control box model

Muller Intuitiv

page 46 Campaver Bains Ultime 3.0 - Massive glass facade



CAMPAVER BAINS ULTIME 3.0			
Power (W)	**1000**	**1200**	**1600**
Radiant (W)	**400**	**600**	**1000**
Fan blower (W)	**600**	**600**	**600**
Width (mm)	352	352	427
Height (mm)	802	1202	1502
Thickness (mm)*	68	68	68
Weight (kg)	14,0	16,0	22,0
Astrakhan black ●	**CVVU10SEPB**	**CVVU12SEPB**	**CVVU16SEPB**
Lily white ○	**CVVU10BCCB**	**CVVU12BCCB**	**CVVU16BCCB**
Quartz grey ●	**CVVU10GRIS**	**CVVU12GRIS**	**CVVU16GRIS**
Mirror ○	**CVVU10MIRE**	**CVVU12MIRE**	**CVVU16MIRE**

*Total thickness with wall bracket: add 45 mm
*With towel rails : Thickness +67mm ; Width +54mm

Control box model

Muller Intuitiv

page 47 Campaver Bains Select 3.0 - Massive glass facade



CAMPAVER BAINS SELECT 3.0			
Power (W)	**1000**	**1200**	**1600**
Radiant (W)	**400**	**600**	**1000**
Fan blower (W)	**600**	**600**	**600**
Width (mm)	352	352	427
Height (mm)	802	1202	1502
Thickness (mm)*	68	68	68
Weight (kg)	14,0	16,0	22,0
Astrakhan black ●	**CVVS10SEPB**	**CVVS12SEPB**	**CVVS16SEPB**
Lily white ○	**CVVS10BCCB**	**CVVS12BCCB**	**CVVS16BCCB**
Mirror ○	**CVVS10MIRE**	**CVVS12MIRE**	**CVVS16MIRE**

*Total thickness with wall bracket: add 45 mm
*With towel rails : Thickness +67mm ; Width +54mm

Control box model

Muller Intuitiv

Additional towel rail for Campaver Bains Ultime & Select**

Power (W)	1000	1200	1600
Astrakhan black ●	KITBCV1SEPB	KITBCV1SEPB	KITBCV2SEPB
Lily white ○	KITBCV1BCCB	KITBCV1BCCB	KITBCV2BCCB
Quartz grey ◍	KITBCV1GRIS***	KITBCV1GRIS***	KITBCV2GRIS***
Mirror ○	KITBCV1	KITBCV1	KITBCV2

** 1000W models are supplied with 1 towel rail

*** Grey version available only for the Campaver Bains Ultime

page 49

Equilibre - IRC Infrared heater

EQUILIBRE		
Power (W)	1500	3000
Width (mm)	446	996
Height (mm)	135	135
Thickness (mm)*	510	510
Weight (kg)	9,0	18,0
Stainless steel ○	EQUI15INOX	EQUI30INOX

page 13

Muller Intuitiv with Netatmo

PRODUCT CODES	
White ○	NEN9241AA
Anthracite ◍	NEN9241AAHS

CAMPA

Luxury radiators

First manufacturer of smart and communicating radiators

Subject to typographical errors - Texts, photos and diagrams are non-contractual. Due to the evolution of technology, Campa reserves the right to modify its equipment without notice - Edition 12/2019

www.gdhv.co.uk/campa

CAMPA is a brand distributed by Glen Dimplex Heating & Ventilation in the United Kingdom.
Millbrook House, Grange Drive, Hedge End, Southampton SO30 2DF

Our policy is one of continuous improvement, we reserve the right to alter specifications without notice. This brochure is not intended as an installation guide.
For safety, products should only be installed by a competent person in accordance with regulations and manufacturer instructions.